




KUHN GMBH
ELASTOMER-VERARBEITUNG

Konische Stopfen




Form Nr.	Typ	a	b	h	c
1507w	1	2,1	3,1	10,1	-
0816w	1	2,5	6	17	-
2474w	1	3	4	8	-
6032	1	4	7,5	11,5	-
5181	1	4,8	5,5	8,5	-
1409	1	5	8	13	-
3097	1	5	8	13	-
1032w	1	5	8	30	-
2598	1	5,5	9	6	-
638	1	6	10	15	-
1388	2	6	10	20,5	2,5
2598	2	6	9	6	3
1711w	1	6	10	17	-
1138w	1	6	8	6,5	-
2463w	1	6	8	11,5	-
0854w	1	6	8,5	20	-
2452w	1	6	9	30	-
2807.1	2	7	12,5	12	3,6
0855w	1	7	9,5	27	-
1529w	1	7	10	30	-
373	1	8	11	15	-
3866	1	8	12	30	-
0430w	1	8	12,5	17	-
0072w	1	8	11	18	-
609	1	8,5	11	11,5	-



KUHN GMBH
ELASTOMER-VERARBEITUNG

Konische Stopfen




Form Nr.	Typ	a	b	h	c
4464w	1	8,5	14	19	-
374	1	9	13	20	-
375	1	10	13	19,5	-
820	1	10	17	40	-
3584	2	10	13	20	1,5quer
2453w	1	10	13	8,5	-
0192w	1	10,2	13,5	20	-
1656w	1	10,5	11	11	-
135	1	11	15	15	-
376	1	11	16	21	-
571	1	11	18	34	-
1517	2	11	16	15	9
4107	1	11	14,5	20	-
7384	2	11	15	20	7,5
0886w	1	11	14	30	-
1004	1	11,5	23	18	-
1288	1	12	15	34	-
2713	2	12	25	35	11
756	2	12	24	20	7
2269w	1	12	16	20	-
2454w	1	12	17	25	-
0309w	1	12,5	14	14	-
2148w	1	12,5	16,5	20	-
0443w	1	12,8	15	11	-
2422	1	13	23	36	-



KUHN GMBH
ELASTOMER-VERARBEITUNG

Konische Stopfen




Form Nr.	Typ	a	b	h	c
1711	1	13	16	20	-
0343w	1	13	22	40	-
1697w	1	14	16	15	-
2676w	1	14	20	30	-
378	1	14,5	17	21,5	-
2453	1	15	22	25	-
2114	2	15	19,5	16	6,5
2462	2	15	20	20	3
2672	2	15	20	25	10
CR440w	1	15	17	30	-
0212w	1	15	20	16	-
379	1	16	21	26	-
2722	2	16	20	25	1,5
1070N	1	16	19	20	-
2133w	1	16	37	40	-
380	1	17	22	27	-
3215	1	18	21	30	-
5305	2	18	28	29	1,5
0195w	1	18	20	24	-
2209w	1	18	25	56	-
472	1	19	24	28	-
0252w	1	19	22,5	23	-
CR444w	1	19	24	17,5	-
1763w	1	19	30	25	-
2273w	1	20	25	25	-



KUHN GMBH
ELASTOMER-VERARBEITUNG

Konische Stopfen





Form Nr.	Typ	a	b	h	c
2105w	1	20	30	26	-
CR441w	1	21	23,5	17	-
1507w	1	21	31	11	-
0475w	1	22	28	27,5	-
0827w	1	22	32	20	-
0883w	1	22	32	26,5	-
2134w	1	22	43	42	-
1937	1	25	28	20	-
1767	2	25	35	28	3
2213	2	25	32	28	3
0879w	1	25	28	26	-
1163w	1	25	32	25	-
2135w	1	26	50	47	-
CR442w	1	27,5	34	19	-
0057w	1	29	34	28	-
627	1	30	50	50	-
1438w	1	30	35	25	-
458	2	30	50	70	20
2252w	1	31	32	32	-
2455w	1	33	38	30	-
1607w	1	33,5	39	39	-
4105	1	34	41	36	-
CR445w	1	34,5	40	18	-
0248	1	36	43	24	-



KUHN GMBH
ELASTOMER-VERARBEITUNG

Konische Stopfen





Form Nr.	Typ	a	b	h	c
0239	1	54	65	30	-
3010	2	56	95	85	10



KUHN GMBH
ELASTOMER-VERARBEITUNG

Konische Stopfen




Form Nr.	Typ	a	b	h	c
6032	1	4	7,5	11,5	-
5181	1	4,8	5,5	8,5	-
1409	1	5	8	13	-
3097	1	5	8	13	-
2598	1	5,5	9	6	-
638	1	6	10	15	-
1388	2	6	10	20,5	2,5
2598	2	6	9	6	3
2807.1	2	7	12,5	12	3,6
373	1	8	11	15	-
3866	1	8	12	30	-
609	1	8,5	11	11,5	-
374	1	9	13	20	-
375	1	10	13	19,5	-
820	1	10	17	40	-
3584	2	10	13	20	1,5quer
135	1	11	15	15	-
376	1	11	16	21	-
571	1	11	18	34	-
1517	2	11	16	15	9
4107	1	11	14,5	20	-
7384	2	11	15	20	7,5
1004	1	11,5	23	18	-
1288	1	12	15	34	-
2713	2	12	25	35	11



KUHN GMBH
ELASTOMER-VERARBEITUNG

Konische Stopfen



Form Nr.	Typ	a	b	h	c
756	2	12	24	20	7
2422	1	13	23	36	-
1711	1	13	16	20	-
378	1	14,5	17	21,5	-
2453	1	15	22	25	-
2114	2	15	19,5	16	6,5
2462	2	15	20	20	3
2672	2	15	20	25	10
379	1	16	21	26	-
2722	2	16	20	25	1,5
1070N	1	16	19	20	-
380	1	17	22	27	-
3215	1	18	21	30	-
5305	2	18	28	29	1,5
472	1	19	24	28	-
1937	1	25	28	20	-
1767	2	25	35	28	3
2213	2	25	32	28	3
627	1	30	50	50	-
458	2	30	50	70	20
4105	1	34	41	36	-
3010	2	56	95	85	10