




**KUHN GMBH**  
ELASTOMER-VERARBEITUNG

## Einseitige Kabeldurchführungstüllen




Form Nr.	Typ	a	b	c	L	l
0416w	1	2	7,5	4	6	4
1790w	1	2	8	5,1	4	2
1942	1	3	12	5	4	2
0687w	1	3	9	6	2	11
0873w	1	3,1	7	4,5	2	1
1702w	1	3,2	12	8	4	1,7
3886	1	3,5	9	5,5	7	5
1398	1	3,5	15	7	11	6
2603	1	3,5	10	7	7	5
1202	1	4	16	8	11	4
1900	1	4	10	6	3	1
2130	1	4	17	7	7	4
0813w	1	4	10	7	6	2
2026w	1	4	12	8	6	3,5
5950	1	4,4	11,5	7,5	5,5	2
11180	1	4,5	8,5	6,5	5,5	3
7679	1	4,7	14	8,5	8	6
5384	1	4,5	12	6	6	3
489	2	5	15,5	9	15	10
5837	1	5	14	10	12	8
2347	1	5	12	8	8	6,5
2554	1	5	18	12	10	4,5
1524	2	5	15	9	16	9
1494	1	5	14	8	10	5
11190	1	5	10	6,7	3,2	2



**KUHN GMBH**  
ELASTOMER-VERARBEITUNG

## Einseitige Kabeldurchführungstüllen




Form Nr.	Typ	a	b	c	L	l
0218w	1	5	13	7	6,5	5
0797w	1	5	12	8	7	4,5
0637w	1	5	14	8	9	4
1767w	1	5	14	9,5	17	16
2032w	1	5,2	18	13,5	4,5	2,5
3993	1	5,5	20	9	11,5	4
1768w	1	5,5	18,5	9,5	20,5	16
5638	1	6	16	8	7	3
2217	1	6	20	11,5	15	12,5
7	2	6	14	10	12	9
5955	1	6	12	8,5	3,2	0,8
2950	2	6	13	10	6	4
1699	1	6	18	9	7	3
2000	1	6	13	9	5	3
3099	1	6	24	10	18	14,5
589	2	6	12	8,5	12	9
404	1	6	22	9,5	11	6
0688w	1	6	14	7	14	11
0350w	1	6	12	8	3,5	1
2640	1	6,5	25	14	35	29
2299w	1	6,5	25	12	9	2,8
7211w	1	6,8	16,5	12,8	5	1
112	2	7	16	12	14	10
5286	2	7	16	11	12	8
1680	1	7	13,5	10	14,5	11



**KUHN GMBH**  
ELASTOMER-VERARBEITUNG

## Einseitige Kabeldurchführungstüllen




Form Nr.	Typ	a	b	c	L	l
5924	1	7	14	10,8	2	2,5
0877w	1	7	12	10	4,5	3
0682w	1	7	20	11	11	6
347	2	7,3	13	9,5	11,5	9
9281N	1	7,5	14,5	9,5	9	9
415	2	7,5	15	10	12	8
0361w	1	7,5	25	16	27	7
0269w	1	7,5	35	25	16	9
1814	1	7,8	19	14	6	1
3916	1	8	25	15	14	2
3808	1	8	23	13	10	6
408	1	8	25	11,5	11	6
0686w	1	8	15	10	9	5
1173w	1	8	25,5	12,8	11	-
2466w	1	8	25	13	5	1
2466/1w	1	8	25	13	6	1
1660w	1	8	30	14	20	15
1683w	1	8	61	50	33	29
81	1	8,2	14,6	13	12,5	2,5
2678w	1	8,3	30	17	18	10
5396	1	8,5	30	14,5	7	3
1007w	81	8,5	21	14	9	-
3868	1	9	24	18	24	20
2751	1	9	19,5	15	7	3
1679w	1	9	21	15	14	11



**KUHN GMBH**  
ELASTOMER-VERARBEITUNG

## Einseitige Kabeldurchführungstüllen




Form Nr.	Typ	a	b	c	L	l
2159w	1	9	40	15	10	6
1450w	1	9	34	16	18	8
1514w	1	9	50	40	8	3
11281	1	9,5	17	13	7,8	5,3
0670w	1	9,5	16	11,5	19	17,5
1189w	1	9,5	-	31	25	-
3459	2	9	26	17	20	14
3917	1	10	35	15	14	2
3918	1	10	45	15	14	2
430	1	10	30	14	11	6
121	2	10	18	13,5	14	9
1029w	1	10	20	13,5	3,5	2
1257w	1	10	25	13,7	15	3
1244w	1	10	19	14	14,5	10
0023w	1	10	20	14	15	12
0619w	1	10	20	15	6,5	4
1245w	1	10	25	15	7	4
0898w	1	10	23,5	17	10	5
0583w	1	10	30	20	25	21
2713w	1	10,1	22	14,4	14	10
2687w	1	10,3	33	16,5	9	5
2689w	1	10,5	35	18	16	6
439	1	11	17,5	15	13	8
0860w	1	11	25	18	28,5	23
0589w	1	11	24	18,5	8	5



**KUHN GMBH**  
ELASTOMER-VERARBEITUNG

## Einseitige Kabeldurchführungstüllen




Form Nr.	Typ	a	b	c	L	l
3779	1	11,5	23	19	10	6,7
5332	1	12	40	21,5	24	19
2418	1	12	35	24	30	25
3922	1	12	30	16	20	14
620	1	12	23	16	10,5	6,3
2569w	1	12	23	16	10,5	6,3
1477w	1	12	29	16	15	10,5
0270w	1	12	40	30	34	26
1189/1w	1	12,5	-	31	25	-
10155	1	13	25	22	29	22,5
79	1	13	20,6	18	12,5	2,5
637	1	13	34	22	24	12
3750	1	13	22,5	15,5	32,5	24,5
2119w	1	13	21	18	12,5	2,5
743	1	14	29	23	32,5	25,5
0933w	1	14	26	21	16	-
0483w	1	14	35	22	14	2
1214w	1	14,8	20,8	18,6	14,5	-
2576w	1	15,5	24	19	11,5	6,5
0611w	1	15,2	64	50	20	15
0760w	1	16	36	30	9	4
78	1	16,2	20,6	19	12,5	2,5
11240	1	18	40	26	23	17
2168w	1	18	30	14	16,5	14
0861	1	18	30	24	28	23



**KUHN GMBH**  
ELASTOMER-VERARBEITUNG

## Einseitige Kabeldurchführungstüllen




Form Nr.	Typ	a	b	c	L	l
2168w	1	18	30	24	16,5	14
0861w	1	18	30	24	28	23
0126w	1	19	35	29	12	8
1215w	1	19,1	26,4	24	18	-
837	1	20	35	30	19,5	6
1780	1	20	35,5	30	33	26
0048w	1	20	29	26	39	9
1242w	1	20	42	30	15	10
0326w	1	20	42	30	15	10
2643w	1	20	46	38	17,5	11,5
0796w	1	21	47	27	18	15
2706w	1	22	40	26	20	17
1772w	1	22	50	32	25	-
0646w	1	22,5	38	22,5	32	-
2728w	1	24	38	32	34,5	29,5
1479w	1	25	35	30,5	38	35
2362w	1	25	45	35	45	40
2362/1w	1	16,5	45	35	45	40
2363/2w	1	28	45	35	45	40
1758w	1	28	65	48	30	26,5
2362/3w	1	30	45	35	45	40
1655w	1	30	54,8	43,7	6	3,5
2736w	1	31	-	47	10,5	6
3991	1	36	56	42	13	6
1002w	1	38	160	90	6	3



**KUHN GMBH**  
ELASTOMER-VERARBEITUNG

## Einseitige Kabeldurchführungstüllen



Form Nr.	Typ	a	b	c	L	l
0039w	1	39	70	50	15	13
0526w	1	39	75	50	15	13
3880	1	40	60	48	15	8
1814w	1	45	70	62	24	20
1001	1	50	160	90	9	6